



SINCE 1998 !

KITCHENWARE & TABLE WARE

Salad Machine

Food Chopper

Electric Grinder

Electric Wine Opener

Electric Milk Frother

Electric Mixer

Water Dispenser

Portable Blender

Electric Lunch Box

Food Warming Board

2026 Autumn

CE RoHS  FDA  BSCI



PROFILE

SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD. IS LEADING THE RESEARCH, DEVELOPMENT & PRODUCTION OF HIGH-TECH PRODUCTS IN CHINA, WITH THE EXPORT CAPACITY OF MORE THAN USD 20,000,000 PER YEAR. WE SINCERELY KEEP US MOTIVATED & SEARCH EXCELLENT CONTINUALLY.

SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD. HAD PASSED ISO 9001-2008 & SGS INTERNATIONAL MANAGEMENT SYSTEM APPROVAL, ALSO HOLD CHINESE LOCAL CREDIT APPROVAL: "HONOR THE CONTRACT AND KEEP OUR PROMISE" AND WORK AS GOLDEN MEMBER OF MINISTRY OF COMMERCIAL OF CHINA. "HCX" PRODUCTS HAVE CE, RoHS, LFGB & FDA APPROVAL.

OUR PRODUCTS HAD EXPORTED TO AMERICA, EUROPE, SOUTH AMERICA, MIDDLE EAST AREA & ASIA, TOTALLY MORE THAN 45 COUNTRIES.


"HCX" BRAND MAIN PRODUCTS ARE:

- A. SALAD MACHINE
- B. FOOD CHOPPER
- C. ELECTRIC GRINDER
- D. ELECTRIC WINE OPENER
- E. ELECTRIC MILK FROTHER
- F. ELECTRIC MIXER
- G. WATER DISPENSER
- H. PORTABLE BLENDER
- I. ELECTRIC LUNCH BOX
- J. FOOD WARMING BOARD

OUR OTHER PRODUCTS ARE HOUSEHOLD APPLIANCE & ENVIRONMENTAL APPLIANCE PRODUCTS. PLEASE VISIT OUR WEBSITE: <http://www.hcx-co.com> OR <http://www.chenpin.com> AND DOWNLOAD CATALOG.

TABLE OF CONTENTS


01	SALAD MACHINE
	FOOD CHOPPER 02
04	ELECTRIC GRINDER
	ELECTRIC WINE OPENER 05
06	ELECTRIC MILK FROTHER
	ELECTRIC MIXER 08
10	WATER DISPENSER
	PORTABLE BLENDER 12
14	ELECTRIC LUNCH BOX
	FOOD WARMING BOARD 17





HCX-KT1238

Lithium battery: 1pcs 18650# 1200mAh



Thick slice Fine shred Strip Fine slice Thick shred



HCX-KT201

Power: 7.4V 50W

Lithium battery: 2pcs 18650# 1500mAh



HCX-QCJ01

Power: 7.4V 20W

9pcs blades

Lithium battery: 2pcs 18650# super power 1300mAh

Peeler



HCX-QCJ02

Power: 7.4V 20W

9pcs blades

Lithium battery: 2pcs 18650# super power 1300mAh

Shaved Ice



HCX-KT1236B

Cup: PP

Lithium battery: 1pcs 18650# 1200mAh



HCX-GA13
Cup: PET (250ml)



HCX-GA08
Cup: PET (250ml)



HCX-GA12
Cup: PET (250ml)



HCX-G1237
Cup: PS (250ml)



HCX-G1240
Cup: PS (250ml)



HCX-G1224
Cup: PS (250ml)



HCX-G012
Cup: PS (250ml)



HCX-G1219
Cup: PS (250ml)



HCX-G1209
Cup: PS (250ml)



HCX-G1209LG
Cup: Glass (300ml)



HCX-G1209LL
Cup: PS (350ml)



HCX-G1203SG
Cup: Glass (300ml)



HCX-G1203
Cup: PS (350ml)



HCX-G1223
Cup: PS (400ml)



PS: 250ml



Glass: 300ml



PS: 350ml



PET: 400ml



HCX-GFP215
Cup: PET (600ml)



HCX-G1232
Cup: Glass (300ml)

Food Maker



HCX-SR06-400P

Cup: PET (400ml)
 PET (3x200ml)
 Lithium battery:
 1pc 18650#
 Super power 1300mAh



HCX-SR06-600P

Cup: PET (600ml)
 PP (3x240ml)
 Lithium battery:
 1pc 18650#
 Super power 1300mAh



HCX-KT1235

Cup: PETG (600ml) PP (3x300ml)
 Lithium battery:
 1pc 18650# 1200mAh



HCX-G1222

Cup: Glass (1L)
 Lithium battery:
 3pcs 18650# 1500mAh



HCX-GF1

Cup: Glass (1500ml)
 PP (3x100ml)
 Lithium battery:
 2pcs 18650# 2000mAh



HCX-KT801

Cup: PETG (1000ml) PP (600ml)
 Lithium battery: 2pcs 18650# 1500mAh

COFFEE GRINDER



HCX-KT702

Lithium battery: 1pc 18650# 1200mAh



HCX-YMJ02

Power: AC 110 / 220V 200W

Grinding capacity: ≤80g

Rotation speed: 13000rpm / min



PEPPER GRINDER



HCX-KT703

Lithium battery: 1pc 14500# 500mAh



HCX-KT701

Lithium battery: 1pc 14500# 500mAh





HCX-KT501

Lithium battery: 1pc 14500# 500mAh
Continue Working: 30 times



HCX-KT505

Lithium battery: 1pc 14500# 500mAh
Continue Working: 30 times



HCX-KT503

Lithium battery: 1pc 14500# 500mAh
Continue Working: 30 times



HCX-KT502

Lithium battery: 1pc 14500# 500mAh
Continue Working: 30 times





HCX-KD319

Lithium battery: 1pc 14500# 500mAh
Continue Working: 20 mins



HCX-KD306

Lithium battery: 1pc 14500# 500mAh
Continue Working: 20 mins



HCX-KD316

Lithium battery: 1pc 14500# 500mAh
Continue Working: 20 mins



HCX-KD311

Lithium battery: 1pc 18650# 800mAh
Continue Working: 20 mins



HCX-KD312

Lithium battery: 1pc 18650# 800mAh
Continue Working: 20 mins



HCX-KD313

Lithium battery: 1pc 18650# 800mAh
Continue Working: 20 mins



HCX-KD309

Lithium battery: 1pc 18650# 800mAh
Continue Working: 20 mins



HCX-KD321

Lithium battery: 1pc 18650# 800mAh
Continue Working: 20 mins



HCX-KD322

Lithium battery: 1pc 18650# 800mAh
Continue Working: 20 mins



HCX-KD310

Lithium battery: 1pc 18650# 800mAh
Continue Working: 20 mins



HCX-KD320

Cup: PP (350ml)
Lithium battery: 1pc 18650# 1200mAh
Continue Working: 20 mins



HCX-KD318

Cup: PP (350ml)
Lithium battery: 1pc 14500# 500mAh
Continue Working: 20 mins





HCX-KD315-1D (3 in 1)

Lithium battery: 1pc 800mAh



HCX-KD315-1C



HCX-KD301-1D (3 in 1)

Lithium battery: 1pc 800mAh



HCX-KD301-1C

Lithium battery: 1pc 800mAh



HCX-KD301-1
Lithium battery: 1pc 800mAh




HCX-KD305
Lithium battery: 1pc 800mAh



HCX-KD315-1
Lithium battery: 1pc 800mAh

Optional accessories :



HCX-KD302
Lithium battery: 1pc 1200mAh



HCX-KD303
Lithium battery: 1pc 1200mAh



HCX-W077



HCX-W080



HCX-W093



HCX-W081



HCX-W082



HCX-W097



HCX-WH2



HCX-W098A
HCX-W098B



HCX-W096A
HCX-W096B



HCX-WH5
(2.4L / min)



HCX-W095



Touch
HCX-W073



HCX-W3
(3L / min)



Inductive



HCX-WH4



HCX-W052



HCX-W070B



HCX-W017B

★ Single pump: 900ml/min



★ Double pumps: 1300ml/min





HCX-B031 
 Power: 7.4V 150W
 Cup: PCTG (600ml)
 Lithium battery: 2pcs 18650#
 super power 1500mAh



HCX-B035
 Power: 7.4V 150W
 Cup: Glass (700ml)
 Lithium battery: 2pcs 18650#
 super power 1500mAh



HCX-B032 
 Power: 7.4V 150W
 Cup: PCTG (600ml)
 Lithium battery: 2pcs 18650#
 super power 1500mAh



HCX-B035-3
 Power: 7.4V 150W
 Cup: PCTG (700ml)
 Lithium battery: 2pcs 18650#
 super power 1500mAh



HCX-B033 
 Power: 7.4V 150W
 Cup: PCTG (600ml)
 Lithium battery: 2pcs 18650#
 super power 1500mAh



HCX-B035-4
 Power: 7.4V 150W
 Cup: PCTG (700ml)
 Lithium battery: 2pcs 18650#
 super power 1500mAh



HCX-B021 
 Power: 7.4V 80W
 Cup: PS (400ml)
 Lithium battery: 2pcs 18650#
 super power 1300mAh



HCX-B022
 Power: 7.4V 80W
 Cup: PC (1300ml)
 Lithium battery: 2pcs 18650#
 super power 1300mAh



HCX-B201
 Power: 7.4V 80W
 Cup: Stainless steel 316# (400ml)
 Lithium battery: 2pcs 18650#
 super power 1300mAh



HCX-B202
 Power: 7.4V 80W
 Cup: Stainless steel 316# (400ml)
 Lithium battery: 2pcs 18650#
 super power 1300mAh



HCX-B203
 Power: 7.4V 80W
 Cup: Stainless steel 316# (700ml)
 Lithium battery: 2pcs 18650#
 super power 1300mAh



HCX-B204
 Power: 7.4V 80W
 Cup: Stainless steel 316# (700ml)
 Lithium battery: 2pcs 18650#
 super power 1300mAh



HCX-B303 □ □
 Power: 7.4V 80W
 Cup: Glass (700ml)
 Lithium battery: 2pcs 18650#
 super power 1300mAh



HCX-B304 □ □
 Power: 7.4V 80W
 Cup: Glass (700ml)
 Lithium battery: 2pcs 18650#
 super power 1300mAh



HCX-B302 □ □
 Power: 7.4V 80W
 Cup: Glass (700ml)
 Lithium battery: 2pcs 18650#
 super power 1300mAh



HCX-B305 □ □
 Power: 7.4V 80W
 Cup: Glass (1000ml)
 Lithium battery: 2pcs 18650#
 super power 1300mAh



HCX-FH01 (AC)
HCX-FH01 (DC 12V)
HCX-FH01 (AC/DC)

Power: 40W
 Capacity: 1.5L
 Dimension: 235x168x108mm



Food box



Cable




Spoon storage box



Steam hole



Handle




Snap



HCX-FH02 (AC)
HCX-FH02 (DC 12V)
HCX-FH02 (AC/DC)

Power: 40W
 Capacity: 1.5L
 Dimension: 235x168x108mm



HCX-FH03 (AC)
HCX-FH03 (DC 12V)
HCX-FH03 (AC/DC)



Power: 40W
 Capacity: 1.5L
 Dimension: 235x168x108mm





HCX-FH106 (DC)
HCX-FH106 (AC / DC)

Power: 30 / 40W
Capacity: 0.9L
Dimension: 231x118x80mm



HCX-FH105 (AC)
HCX-FH105 (AC / DC)

Power: 45W
Capacity: 0.9L
Dimension: 233x119x84mm




HCX-FH108 (AC)
HCX-FH108 (AC/DC)

Power: 45W
Capacity: 0.65L
Dimension: 219x136x100mm



HCX-FH10 (AC/DC)

Power: 60 / 80W
Capacity: 1.8L + 0.45L
Dimension: 240x180x118mm



HCX-FH04(AC/DC)

Power: 60 / 80W
Capacity: 1.5L + 0.3L
Dimension: 240x174x128mm



HCX-FH11 (AC/DC)

Power: 60 / 80W
Capacity: 1.6L + 0.45L
Dimension: 240x173x122mm





HCX-FH208S

Power: 200W
Capacity: 0.7L
Dimension: 219x136x116mm



HCX-FH208

Power: 200W
Capacity: 0.7L + 0.6L
Dimension: 219x136x164mm



HCX-FH05S

Power: 200W
Capacity: 2 x 0.5L
Dimension: 260x129x135mm



HCX-FH05

Power: 200W
Capacity: 4 x 0.5L
Dimension: 260x129x203mm

Rechargeable



HCX-FH04-1 (Type-C)

Power: 55W
Capacity: 1.5L + 0.3L
Lithium Battery: 4pcs 18650# 2000mAh
Dimension: 240x174x128mm





HCX-NCB10 (2-3 Board)

Power: 160 / 240W
Dimension: 380x630x20mm



HCX-NCBPJ01

Power: 240W
Dimension: 380x630x20mm



HCX-NCBPJ03


Power: 110W
Dimension: 400x314x21mm



HCX-NCBPJ03 (3-5 Board)


Power: 110W / Board

Silicone



HCX-NCBGJ11

Power: 210W
Dimension: 325x545mm



HCX-NCBGJ01

Power: 220W
Dimension: 380x660mm



50°C Fermentation



60°C Warm




70°C Drying



80°C Thaw



90°C Milk



100°C Wine





110°C Tea



120°C Food



SINCE 1998 !



SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD.

ADD: RM 603 KIN HWA CHEONG BUILDING HENGSHAN ROAD SHANTOU S.E.Z. CHINA

FAX: +86-754-88836390

TEL: +86-754-88836391 88836392 88836393

WEB: <http://www.hcx-co.com> & <http://www.chenpin.com> E-mail: info@hcx-co.com & chenpin@pub.shantou.gd.cn

