



SINCE 1998 !

# ENVIRONMENTAL APPLIANCES

Waterless Aroma Diffuser  
Air Purifier  
Humidifier



## 2026 CATALOG



# PROFILE

SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD. IS LEADING THE RESEARCH, DEVELOPMENT & PRODUCTION OF HIGH-TECH PRODUCTS IN CHINA, WITH THE EXPORT CAPACITY OF MORE THAN USD 20,000,000 PER YEAR. WE SINCERELY KEEP US MOTIVATED & SEARCH EXCELLENT CONTINUALLY.

SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD. HAD PASSED ISO 9001-2008 & SGS INTERNATIONAL MANAGEMENT SYSTEM APPROVAL, ALSO HOLD CHINESE LOCAL CREDIT APPROVAL: "HONOR THE CONTRACT AND KEEP OUR PROMISE" AND WORK AS GOLDEN MEMBER OF MINISTRY OF COMMERCIAL OF CHINA. "HCX" PRODUCTS HAVE CE & RoHS APPROVAL.

OUR PRODUCTS HAD EXPORTED TO AMERICA, EUROPE, SOUTH AMERICA, MIDDLE EAST AREA & ASIA, TOTALLY MORE THAN 45 COUNTRIES.

"HCX" BRAND MAIN PRODUCTS ARE:

- A. WATERLESS AROMA DIFFUSER
- B. AIR PURIFIER
- C. HUMIDIFIER

OUR OTHER PRODUCTS ARE KITCHEN APPLIANCE & HOUSEHOLD APPLIANCE PRODUCTS. PLEASE VISIT OUR WEBSITE: <http://www.hcx-co.com> OR <http://www.chenpin.com> AND DOWNLOAD CATALOG.

## TABLE OF CONTENTS

01 WATERLESS AROMA DIFFUSER

AIR PURIFIER 05

06 HUMIDIFIER





**HCX-AD401**

5V 5W  
Battery: 1pc Li-Polymer 2000mAh  
Dimension: 66 x 66 x 156mm



**HCX-AD501**

5V 5W  
Battery: 1pc Li-Polymer 2000mAh  
Dimension: 75 x 75 x 147mm



**HCX-AD101**

5V 8W  
Lithium battery: 4pcs 18650# 2500mAh  
Dimension: 120 x 120 x 384mm



**HCX-AD102**

5V 8W  
Lithium battery: 4pcs 18650# 2500mAh  
Dimension: 140 x 140 x 310mm



**HCX-AD103**

5V 8W  
Lithium battery: 4pcs 18650# 2500mAh  
Dimension: 125 x 125 x 310mm



**HCX-AD205B**

5V 5W  
Lithium battery: 2pcs 18650# 2500mAh  
Dimension: 140 x 140 x 345mm



**HCX-AD206B**

5V 5W  
Lithium battery: 2pcs 18650# 2500mAh  
Dimension: 140 x 140 x 330mm



**HCX-AD207B**

5V 5W  
Lithium battery: 2pcs 18650# 2500mAh  
Dimension: 130 x 130 x 375mm



**HCX-AD305B**

5V 8W  
Lithium battery: 4pcs 18650# 2500mAh  
Dimension: 200 x 200 x 1100mm



**HCX-AD306B**

5V 8W  
Lithium battery: 4pcs 18650# 2500mAh  
Dimension: 200 x 200 x 1020mm



**HCX-AD307B**

5V 8W  
Lithium battery: 4pcs 18650# 2500mAh  
Dimension: 200 x 200 x 1050mm



**HCX-AD201B**

**HCX-AD201**

5V 5W  
Lithium battery:  
2pcs 18650# 2500mAh  
Dimension: 130 x 130 x 355mm



**HCX-AD202B**

**HCX-AD202**

5V 5W  
Lithium battery:  
2pcs 18650# 2500mAh  
Dimension: 130 x 130 x 350mm



**HCX-AD203B**

**HCX-AD203**


5V 5W  
Lithium battery:  
2pcs 18650# 2500mAh  
Dimension: 130 x 130 x 350mm



**HCX-AD204B**

**HCX-AD204**

5V 5W  
Lithium battery:  
2pcs 18650# 2500mAh  
Dimension: 130 x 130 x 353mm



**HCX-AD301B**

**HCX-AD301**

5V 8W  
Lithium battery:  
4pcs 18650# 2500mAh  
Dimension: 200 x 200 x 1130mm



**HCX-AD302B**

**HCX-AD302**

5V 8W  
Lithium battery:  
4pcs 18650# 2500mAh  
Dimension: 200 x 200 x 1130mm



**HCX-AD303B**

**HCX-AD303**

5V 8W  
Lithium battery:  
4pcs 18650# 2500mAh  
Dimension: 200 x 200 x 1000mm



**HCX-AD304B**

**HCX-AD304**

5V 8W  
Lithium battery:  
4pcs 18650# 2500mAh  
Dimension: 200 x 200 x 1020mm



**HCX-AD601**

5V 12W

Lithium battery: 8pcs 18650# 2500mAh

Dimension: 208 x 89 x 234mm



**HCX-AD602**

5V 8W

Lithium battery: 4pcs 18650# 2500mAh

Dimension: 144 x 83 x 226mm



**HCX-AD603**

5V 8W

Lithium battery: 4pcs 18650# 2500mAh

Dimension: 126 x 71 x 210mm



**HCX-AD604**

5V 8W

Lithium battery: 4pcs 18650# 2500mAh

Dimension: 170 x 81 x 210mm

**Essential Oil List:**

- 1# Hilton 希尔顿
- 2# Chanel 香奈儿
- 3# English pears & freesias 英国梨小苍兰
- 4# Shangri-La 香格里拉
- 5# Wet Garden 雨后花园
- 6# Hermes wood 爱马仕木香
- 7# Coast 海岸
- 8# Oriental charm 东方风韵
- 9# Moya 摩雅
- 10# Chimelong Hotel 长隆酒店
- 11# Elizabeth 伊丽莎白
- 12# The venetian 威尼斯人
- 13# Four Seasons Hotel 四季酒店
- 14# Blackberry & Bay 黑莓月桂
- 15# Anna Sui 安娜苏
- 16# Santorini 圣托尼里
- 17# The Ritz Carlton 丽丝卡尔顿
- 18# Grand Hyatt 君悦酒店

## AIR PURIFIER


Air purifier uses its own generated negative ions to purify, remove dust, odors, and sterilize the air. It can purify air.

Negative ions can cause tiny dust particles such as PM2.5, which are invisible to the naked eye, to sink and land on the ground through the attraction and collision of positive and negative ions. Some items are built-in with filter element which can adsorb dust to purify air.



### HCX-P801 (20W)

Voltage: AC 100 ~ 240V 50 / 60Hz  
 Noise level: <45dbA  
 Ozone Output Capacity: 50mg/h (0.02 ppm)  
 Negative Ion Output Capacity: 3 million/cm<sup>3</sup>  
 Size: 254 x 254 x 100mm



### HCX-P802 (10W)

Voltage: 12V 1.5A  
 Noise level: <45dbA  
 Ozone Output Capacity: 50mg/h (0.02 ppm)  
 Negative Ion Output Capacity: 3 million/cm<sup>3</sup>  
 Size: 160 x 160 x 275mm



### HCX-P803 (10W)

Voltage: AC 100 ~ 240V 50 / 60Hz  
 Noise level: <45dbA  
 Ozone Output Capacity: 50mg/h (0.02 ppm)  
 Negative Ion Output Capacity: 3 million/cm<sup>3</sup>  
 Size: 165 x 165 x 282mm

## INDUSTRIAL AIR PURIFIER (FORMALDEHYDE DEGRADATION APPLIANCE)

For new house, decoration materials, furniture & paint etc. would release formaldehyde that is harmful to health. Industrial air purifier is good to degrade formaldehyde & keep healthy.

Inside detector can detect the formaldehyde content in air & flash in different color, as blue light indicates content less than 0.08mg/m<sup>3</sup>, orange light indicates less than 0.1 mg/ m<sup>3</sup>, red light indicates more than 0.1 mg/ m<sup>3</sup>. It releases Ozone to combine with HCHO (formaldehyde), then decompose into CO<sub>2</sub>, H<sub>2</sub>O, O<sub>2</sub> to purify air.

Also it can release negative ions to purify, remove dust, odors, and sterilize the air.



### HCX-P101 (70W / 100W)

Voltage: AC 100 ~ 240V 50 / 60Hz  
 Noise level: <45dbA  
 Ozone Output Capacity: 5 / 10g/h  
 Negative Ion Output Capacity: 3 million/cm<sup>3</sup>  
 Size: 254 x 254 x 100mm



### HCX-P102 (12W)

Voltage: 12V 1.5A  
 Noise level: <45dbA  
 Ozone Output Capacity: 1g/h  
 Negative Ion Output Capacity: 3 million/cm<sup>3</sup>  
 Size: 160 x 160 x 275mm



### HCX-P103 (12W)

Voltage: AC 100 ~ 240V 50 / 60Hz  
 Noise level: <45dbA  
 Ozone Output Capacity: 1g/h  
 Negative Ion Output Capacity: 3 million/cm<sup>3</sup>  
 Size: 165 x 165 x 282mm

## TABLETOP HUMIDIFIER



**HCX-H341T (25W/100W)**



Size: 190 x 200 x 288mm

Packing size: 78.5 x 60.5 x 34.5cm/6pcs/ctn

40HQ container: 2490pcs/415ctns



**HCX-H369T (25W)**



Size: 174 x 158 x 348mm

Packing size: 58.5 x 43 x 40cm/6pcs/ctn

40HQ container: 3816pcs/636ctns



**HCX-H371T (25W/100W)**



Size: 245 x 245 x 315mm

Packing size: 57 x 57 x 37cm/4pcs/ctn

40HQ container: 2200pcs/550ctns

## EVAPORATIVE HUMIDIFIER



**HCX-H611T (35W)**



Size: 265 x 265 x 435mm

Packing size: 65 x 65 x 56cm/4pcs/ctn

40HQ container: 1080pcs/270ctns



**HCX-H611TR (25W)**



Size: 265 x 265 x 435mm

Packing size: 65 x 65 x 56cm/4pcs/ctn


40HQ container: 1080pcs/270ctns



**HCX-H918T (25W/100W)**



Size: 218 x 189 x 653mm  
 Packing size: 34.5 x 19 x 46.5cm/1pc/ctn  
 40HQ container: 2098pcs/2098ctns



**HCX-H917T (25W)**



Size: 234 x 185 x 720mm  
 Packing size: 98 x 59 x 79.5cm/8pcs/ctn  
 40HQ container: 1112pcs/139ctns



**HCX-H904T (25W)**



Size: 230 x 230 x 720mm  
 Packing size: 83 x 58 x 78cm/6pcs/ctn  
 40HQ container: 1020pcs/170ctns



**HCX-H919T (25W)**



Size: 241 x 206 x 753mm  
 Packing size: 79 x 28 x 22.5cm/1pc/ctn  
 40HQ container: 1285pcs/1285ctns



**HCX-H916T (25W)**



Size: 220 x 220 x 703mm  
 Packing size: 104 x 54 x 77.5cm/8pcs/ctn  
 40HQ container: 1176pcs/147ctns



**HCX-H920T (25W/100W)**



Size: 210 x 280 x 797mm  
 Packing size: 35.5 x 29.5 x 63.5cm/1pc/ctn  
 40HQ container: 1023pcs/1023ctns



**HCX-H149 (80W)**




Size: 255 x 255 x 1086mm  
 Packing size: 29.5 x 29.5 x 58cm/1pc/ctn  
 40HQ container: 1267pcs/1267ctns



**HCX-H149T (80W)**



Size: 255 x 255 x 1086mm  
 Packing size: 29.5 x 29.5 x 58cm/1pc/ctn  
 40HQ container: 1267pcs/1267ctns




**HCX-H145 (100W)**



Size: 308 x 234 x 1220mm  
 Packing size: 59 x 36 x 72cm/2pcs/ctn  
 40HQ container: 838pcs/419ctns



**HCX-H145T (100W)**



Size: 308 x 234 x 1260mm  
 Packing size: 59 x 36 x 72cm/2pcs/ctn  
 40HQ container: 838pcs/419ctns



**HCX-H150T (60W)**



Size: 220 x 661 x 908mm  
 Packing size: 76 x 14.5 x 46cm/1pc/ctn  
 40HQ container: 1341pcs/1341ctns



**HCX-H148T (110W)**



Size: 305 x 206 x 1150mm  
 Packing size: 36.5 x 31.5 x 74cm/1pc/ctn  
 40HQ container: 752pcs/752ctns



**HCX-H147T (50W/290W)**



Size: 240 x 240 x 1140mm  
 Packing size: 59 x 30 x 71 cm/2pcs/ctn  
 40HQ container: 1018pcs/509ctns





**HCX-H148 (110W)**



Size: 305 x 206 x 1150mm  
 Packing size: 36.5 x 31.5 x 74cm/1pc/ctn  
 40HQ container: 752pcs/752ctns



**SINCE 1998 !**



## SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD.

ADD: RM 603 KIN HWA CHEONG BUILDING HENGSHAN ROAD SHANTOU S.E.Z. CHINA

FAX: +86-754-88836390

TEL: +86-754-88836391 88836392 88836393

WEB: <http://www.hcx-co.com> & <http://www.chenpin.com> E-mail: [info@hcx-co.com](mailto:info@hcx-co.com) & [chenpin@pub.shantou.gd.cn](mailto:chenpin@pub.shantou.gd.cn)

