



SINCE 1998 !

HOUSEHOLD APPLIANCES

Mite Cleaner
Bug Zapper (Mosquito Lamp)
Bug Zapper (Electric Mosquito Racket)
Emergency Lantern & Solar Flash Light



2026 CATALOG



PROFILE

SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD. IS LEADING THE RESEARCH, DEVELOPMENT & PRODUCTION OF HIGH-TECH PRODUCTS IN CHINA, WITH THE EXPORT CAPACITY OF MORE THAN USD 20,000,000 PER YEAR. WE SINCERELY KEEP US MOTIVATED & SEARCH EXCELLENT CONTINUALLY.

SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD. HAD PASSED ISO 9001-2008 & SGS INTERNATIONAL MANAGEMENT SYSTEM APPROVAL, ALSO HOLD CHINESE LOCAL CREDIT APPROVAL: "HONOR THE CONTRACT AND KEEP OUR PROMISE" AND WORK AS GOLDEN MEMBER OF MINISTRY OF COMMERCIAL OF CHINA. "HCX" PRODUCTS HAVE CE & RoHS APPROVAL.

OUR PRODUCTS HAD EXPORTED TO AMERICA, EUROPE, SOUTH AMERICA, MIDDLE EAST AREA & ASIA, TOTALLY MORE THAN 45 COUNTRIES.

"HCX" BRAND MAIN PRODUCTS ARE:

- A. MITE CLEANER
- B. BUG ZAPPER (MOSQUITO LAMP)
- C. BUG ZAPPER (ELECTRIC MOSQUITO RACKET)
- D. EMERGENCY LANTERN & SOLAR FLASH LIGHT

OUR OTHER PRODUCTS ARE KITCHEN APPLIANCE PRODUCTS. PLEASE VISIT OUR WEBSITE: <http://www.hcx-co.com> OR <http://www.chenpin.com> AND DOWNLOAD CATALOG.

TABLE OF CONTENTS

01 MITE CLEANER

BUG ZAPPER (MOSQUITO LAMP) 02

05 BUG ZAPPER (ELECTRIC MOSQUITO RACKET)

EMERGENCY LANTERN & SOLAR FLASH LIGHT 09



The mite cleaner adopts the flapping mode to vibrate 6000 times per minute, which can effectively loosen the dust and dirt deep in the mattress, and the 8000Pa strong vacuuming mode can easily suck away the dust and mite so that your clean and comfortable home. Rechargeable & portable design: Rechargeable battery provides a long lasting 20 minute run time.



HCX-M701

Voltage: 5V
 Power: 100W
 Lithium battery: 3pcs 18650# 1500mAh
 Capacity: 180ml
 Dimension: 252x117x240mm





HCX-K841

Power: 110V 1.2W / 220V 3W
 LED quantity: 6pcs SMD 2835 LED
 Size: 120x120x240mm
 Packing size: 75x38x50cm/36pcs/ctn



**HCX-K842
 HCX-K842R**

Power: 5V 6W
 LED quantity: 12pcs ø5 LED
 Lithium battery: 2pcs 18650# 1200mAh
 Size: 200x105x200mm
 Packing size: 69x35x44cm/18pcs/ctn




**HCX-K843
 HCX-K843R**

Power: 5V 2W
 LED quantity: 6pcs 0.25W LED
 Lithium battery: 1pc 18650# 1200mAh
 Size: 230x35x180mm
 Packing size: 60.5x52x52cm/60pcs/ctn




HCX-K903-2W

Power: 110V / 220V, 2W
 LED quantity: 2 x 10pcs SMD 2835 LED
 Size: 293x55x254mm
 Packing size: 55x46x34cm/16pcs/ctn




HCX-K903-6W

Power: 110V / 220V, 6W
 LED quantity: 2 x 17pcs SMD 2835 LED
 Size: 490x55x262mm
 Packing size: 55x35x54cm/12pcs/ctn



HCX-K903-4W

Power: 110V / 220V, 4W
 LED quantity: 2 x 13pcs SMD 2835 LED
 Size: 395x55x254mm
 Packing size: 55x35x44cm/12pcs/ctn



HCX-K903-8W

Power: 110V / 220V, 8W
 LED quantity: 2 x 22pcs SMD 2835 LED
 Size: 585x55x265mm
 Packing size: 57x41x62cm/12pcs/ctn




HCX-K902-4W

Power: 110V / 220V, 4W
 LED quantity: 2 x 7pcs SMD 2835 LED
 Size: 220x53x225mm
 Packing size: 52x32x52cm/20pcs/ctn




HCX-K902-6W

Power: 110V / 220V, 6W
 LED quantity: 2 x 10pcs SMD 2835 LED
 Size: 270x53x225mm
 Packing size: 49x38x32cm/12pcs/ctn




HCX-K902-8W

Power: 110V / 220V, 8W
 LED quantity: 2 x 13pcs SMD 2835 LED
 Size: 360x53x225mm
 Packing size: 49x38x40cm/12pcs/ctn



HCX-K902-10W

Power: 110V / 220V, 10W
 LED quantity: 2 x 17pcs SMD 2835 LED
 Size: 470x53x225mm
 Packing size: 49x38x52cm/12pcs/ctn




HCX-K902-12W

Power: 110V / 220V, 12W
 LED quantity: 2 x 22pcs SMD 2835 LED
 Size: 625x53x225mm
 Packing size: 53x32x67cm/10pcs/ctn




HCX-K901-20W

Power: 110V / 220V, 20W Fluorescent tube
 Size: 390x53x245mm
 Packing size: 53x38x44cm/12pcs/ctn



HCX-K901-30W

Power: 110V / 220V, 30W Fluorescent tube
 Size: 490x53x245mm
 Packing size: 53x38x55cm/12pcs/ctn



HCX-K901-40W

Power: 110V / 220V, 40W Fluorescent tube
 Size: 645x53x245mm
 Packing size: 53x33x69cm/10pcs/ctn



HCX-K787-8100

Surface width: 176mm
 Length: 425mm
 Lithium battery: 1pc 14500# 500mAh
 Packing size: 68.5x29x43cm/60pcs/ctn



HCX-K787-5700

Surface width: 177mm
 Length: 445mm
 Sealed lead-acid battery: 4V 250mAh
 Packing size: 44x34x52cm/40pcs/ctn



HCX-K787-8300

Surface width: 215mm
 Length: 512mm
 Lithium battery: 1pc 18650# 1200mAh
 Packing size: 63x44x42cm/40pcs/ctn



HCX-K787-6300

Surface width: 207mm
 Length: 470mm
 Lithium battery: 1pc 14500# 500mAh
 Packing size: 72x38x51cm/60pcs/ctn



HCX-K787-8400

Surface width: 216mm
 Length: 520mm
 Lithium battery: 1pc 14500# 500mAh
 Packing size: 66x38x54cm/50pcs/ctn



HCX-K787-8200

Surface width: 220mm
 Length: 525mm
 Lithium battery: 1pc 14500# 500mAh
 Packing size: 74x39x55cm/52pcs/ctn



HCX-787-8100U

Surface width: 176mm
 Length: 420mm
 Lithium battery: 1pc 14500# 500mAh
 Packing size: 68.5x29x43cm/60pcs/ctn



HCX-787-5700U

Surface width: 177mm
 Length: 420mm
 Sealed lead-acid battery: 4V 250mAh
 Packing size: 62x25x47cm/50pcs/ctn



HCX-787-8300U

Surface width: 215mm
 Length: 508mm
 Lithium battery: 1pc 18650# 1200mAh
 Packing size: 64x44x53cm/60pcs/ctn



HCX-787-6300U

Surface width: 207mm
 Length: 465mm
 Sealed lead-acid battery: 4V 300mAh
 Lithium battery: 1pc 14500# 500mAh
 Packing size: 70x38x51cm/60pcs/ctn



HCX-787-8500U

Surface width: 220mm
 Length: 420mm
 Lithium battery: 1pc 14500# 500mAh
 Packing size: 54x34x46cm/50pcs/ctn



HCX-787-8200U

Surface width: 220mm
 Length: 518mm
 Lithium battery: 1pc 14500# 500mAh
 Packing size: 74x39x55cm/52pcs/ctn



HCX-787-7600W

Surface width: 208mm
Length: 490mm
Sealed lead-acid battery: 4V 400mAh
Packing size: 62x42x53cm/48pcs/ctn



HCX-787-7300U

Surface width: 215mm
Length: 480mm
Sealed lead-acid battery: 4V 300mAh
Packing size: 68x29x52cm/60pcs/ctn



HCX-787-7700W

Surface width: 220mm
Length: 510mm
Sealed lead-acid battery: 4V 400mAh
Packing size: 62x38x55cm/48pcs/ctn



HCX-729-419B

Surface width: 190mm
Length: 480mm
Sealed lead-acid battery: 4V 300mAh
Packing size: 66x29x50cm/60pcs/ctn



HCX-787-7800W

Surface width: 208mm
Length: 490mm
Sealed lead-acid battery: 4V 400mAh
Packing size: 58x38x53cm/48pcs/ctn



HCX-729-421B

Surface width: 215mm
Length: 493mm
Sealed lead-acid battery: 4V 300mAh
Packing size: 66x29x52cm/60pcs/ctn



HCX-787-7100W

Surface width: 205mm
 Length: 510mm
 Sealed lead-acid battery: 4V 400mAh
 Packing size: 78x33x56cm/60pcs/ctn



HCX-736-7900-1LM

Surface width: 205mm
 Length: 546mm
 Sealed lead-acid battery: 4V 400mAh
 Packing size: 74x35x58cm/48pcs/ctn



HCX-778-921
HCX-778-921W

Surface width: 218mm
 Length: 512mm
 Sealed lead-acid battery: 4V 400mAh
 Packing size: 60x40x55cm/60pcs/ctn



HCX-735-423-1LM

Surface width: 225mm
 Length: 530mm
 Sealed lead-acid battery: 4V 400mAh
 Packing size: 74x36x57cm/48pcs/ctn



HCX-784-3021

Surface width: 213mm
 Length: 485mm
 Sealed lead-acid battery: 4V 400mAh
 Packing size: 61x44x52cm/60pcs/ctn



HCX-746-1123-5

Surface width: 235mm
 Length: 543mm
 Sealed lead-acid battery: 4V 400mAh
 Packing size: 65x41x58cm/50pcs/ctn



4 LED Flashlight



HCX-787-8000

Night light with mosquito killer lantern
 Surface width: 92mm
 Length: 180mm
 Packing size: 40x39x51cm/120pcs/ctn



HCX-730-4718

Surface width: 182mm
 Length: 340mm
 Use by 2pcs "AA" size battery
 Packing size: 67x27x37cm/60pcs/ctn



HCX-715-516

Surface width: 165mm
 Length: 430mm
 Use by 2pcs "AA" size battery
 Packing size: 70x26x46cm/60pcs/ctn



HCX-720-417

Surface width: 170mm
 Length: 440mm
 Use by 2pcs "AA" size battery
 Packing size: 70x26x46cm/60pcs/ctn



HCX-710-418

Surface width: 180mm
 Length: 435mm
 Use by 2pcs "AA" size battery
 Packing size: 56x33x47cm/48pcs/ctn



HCX-716-419

Surface width: 190mm
 Length: 465mm
 Use by 2pcs "AA" size battery
 Packing size: 70x27x48cm/60pcs/ctn



HCX-KT101

56 pcs SMD 2835 LED
 Descr.: 450 x 32 x 36 mm
 Luminous flux: 500 Lm
 Lithium battery:
 1pc 18650# 1800mAh
 Durability time: 3 Hours



HCX-KT102

36 pcs SMD 2835 LED
 Descr.: 300 x 32 x 36 mm
 Luminous flux: 300 Lm
 Lithium battery:
 1pc 18650# 1200mAh
 Durability time: 3 Hours



HCX-RL6613

20 pcs SMD 2835 LED
 & 20 pcs SMD 5730 LED
 Descr.: 70 x 50 x 235 mm
 Luminous flux: 500 Lm
 Lithium battery:
 2 pcs 18650# 1800 mAh
 Durability time: 4 / 6 Hours



HCX-RL7713

60 pcs SMD 2835 LED
 Descr.: 70 x 50 x 235 mm
 Luminous flux: 400 Lm
 Lithium battery:
 2 pcs 18650# 1800 mAh
 Durability time: 4 / 6 Hours



HCX-RL3331

30 pcs SMD 2835 LED
 Descr.: 64 x 46 x 240 mm
 Luminous flux: 300 Lm
 Lithium battery:
 1 pc 18650# 1800 mAh
 Durability time: 4 / 6 Hours



HCX-RL3361

60 pcs SMD 2835 LED
 Descr.: 64 x 46 x 380 mm
 Luminous flux: 600 Lm
 Lithium battery:
 2 pcs 18650# 1800 mAh
 Durability time: 4 / 6 Hours

HCX-RL3391

90 pcs SMD 2835 LED
 Descr.: 64 x 46 x 530 mm
 Luminous flux: 900 Lm
 Lithium battery:
 2 pcs 18650# 1800 mAh
 Durability time: 2.5 / 4 Hours



HCX-HS928

1 pc 1 W LED / 3 W COB
 Luminous flux: 100 / 40 Lm
 Durability time: 8 / 4 Hours
 Irradiation distance: 100 m
 Lithium battery: 1pc 18650# 800mAh
 Descr.: 48 x 45 x 129 mm
 Packing size: 45x28.5x39cm/180pcs/ctn



HCX-C03

1 pc 0.75 W LED / 6 pcs SMD 2835
 Luminous flux: 75 / 20 Lm
 Durability time: 12 / 12 Hours
 Irradiation distance: 100 m
 Lithium battery: 1pc 18650# 1200mAh
 Descr.: ø52 x 170 mm
 Packing size: 53x28x41cm/120pcs/ctn



HCX-C04

1 pc 0.75 W LED / 6 pcs SMD 2835
 Luminous flux: 75 / 20 Lm
 Durability time: 12 / 12 Hours
 Irradiation distance: 100 m
 Lithium battery: 1pc 18650# 1200mAh
 Descr.: ø52 x 170 mm
 Packing size: 53x28x41cm/120pcs/ctn



HCX-C05

1 pc 0.75 W LED / 6 pcs SMD 3030
 Luminous flux: 75 / 20 Lm
 Durability time: 12 / 12 Hours
 Irradiation distance: 100 m
 Lithium battery: 1pc 18650# 1200mAh
 Descr.: ø50 x 184 mm
 Packing size: 53x29x43cm/120pcs/ctn



HCX-RL5220

1 pc 1W LED / 2W COB
 Luminous flux: 100 Lm
 Durability time: 4 / 3 Hours
 Irradiation distance: 100 m
 Lithium battery: 1pc 18650# 1200mAh
 Descr.: ø73 x 212 mm
 Packing size: 72x29x60cm/100pcs/ctn





SINCE 1998 !

SHANTOU HAICHAOXING SCIENCE & TECHNOLOGY CO., LTD.

ADD: RM 603 KIN HWA CHEONG BUILDING HENGSHAN ROAD SHANTOU S.E.Z. CHINA

FAX: +86-754-88836390

TEL: +86-754-88836391 88836392 88836393

WEB: <http://www.hcx-co.com> & <http://www.chenpin.com> E-mail: info@hcx-co.com & chenpin@pub.shantou.gd.cn

